



MAINTENANCE
& CARE GUIDE

FOR TEXTURES CURATED ENGINEERED PREFINISHED FLOORS



TEXTURES CURATED

TEXTURES CURATED PROPRIETARY UV SHEEN
BUILD FINISH, DELIVERING THE LOOK OF
LUXURY
WITH THE DURABILITY FOR EVERDAY.

TEXTURES CURATED HARDWOOD ENGINEERED PREFINISHED
FLOORS USE A PROPRIETARY UV FINISH THAT ALLOWS OUR
FLOORS TO RETAIN ALL THE TEXTURE AND BEAUTY OF THE
NATURAL WOOD WHILE OFFERING UNPARRALLED PROTECTION
OF OUR HAND APPLIED CUSTOM DETAILS. AVAILIBLE IN A RANGE
OF SHEEN FINISHES FROM MATTE TO GLOSS.

WHILE TEXTURES CURATED PREFINISHED FLOORS ARE DURABLE, THEY AREN'T INDESTRUCTABLE. WITH MINIMAL PREVENTATIVE MAINTENANCE AND PROPER TIMELY CARE OF ANY SPILLS OR STAINS YOU CAN ENSURE YOUR NEW FLOORING WILL RETAIN ITS NATURAL BEAUTY AND DURABILITY.

HOW OFTEN YOUR WOODEN FLOOR SHOULD RECEIVE THE CYCLES OF MAINTENANCE, DEPENDS ON ITS USAGE. IN RESIDENTIAL AREAS ONCE A WEEK MAY BE ENOUGH TO VACUM AND DAMP MOP WHILE IN BARS, RESTAURANTS AND OTHER HIGH TRAFFIC AREAS IT MAY BE NECESSARY TO DO THIS DAILY. BELOW ALSO FIND HELPFUL HOW TO VIDEOS AND REORDER CLEANING AND CARE PRODUCTS AT [TEXTURESCURATED.COM](https://www.texturescurated.com) OR REACH OUT TO OUR CUSTOMER SERVICE TEAM FOR QUESTIONS RELATED TO YOUR FLOOR AT 615-228-2922

Please note that different Textures Curated products contain varied species of wood, all of which have different qualities such as hardness, sensitivity to indentation and scratching, color, etc. Light Colored and very dark colors floors are typically more sensitive to wear and tear than mid colored tones, and therefore require more frequent cleaning and maintenance. All wood floors change color slowly over time with exposure to light, oxygen, and use.

TIPS TO MAINTAINING YOUR TEXTURES CURATED FLOOR

- Do not allow spills of food, wine, coffee, paint, water, etc. to stay on floor, wipe up spillage immediately.
- Move appliances and furniture into place by picking up and placing to avoid floor contact or by sliding them slowly over the floor on a clean piece of carpet or blanket.
- Use protective felt pads (not metal feet, which mark wood floors) on any appliance and furniture to avoid unnecessary marks and scratches on the floor.
- Maintain normal interior humidity levels. Textures Curated requires a relative humidity range of minimum 35% maximum 55% and a temperature range 60°F (15°C) to 75°F (24°C). Not maintaining adequate humidity will dry the wood out and create shrinkage, cracking, and gapping in the wood.
- In floor heating systems must be kept at a constant temperature not exceeding 85°F (29°C) Radial fluctuations in the wood temperature can create irreparable damage. Temperatures should not be raised or lowered more than 4°F (2°C) each 24-hour period.
- Place breathable door mats at entryways of your home to protect your floor from water, abrasive dust and grit and help save unnecessary clean-up tasks.
- In Commercial spaces, place area rugs in high – or concentrated – traffic areas to make long term maintenance easier and less expensive.

- Use our recommended warm water and well rung mop system and cleaners for both everyday usage and periodic deep clean maintenance.

DON'T:

- Do not use conditioners, acrylic waxes, or ammonia-based cleaners. We recommend using a diluted mixture of Simple Green™ wood floor cleaner for maintenance and periodic deep clean.
- Do not use vinegar or detergent solutions on the floor and never pour water directly onto the floor for mopping.
- Do not use steel wool or abrasive sanding items on the floor to try and remove tough stains, always follow the recommendations further in this guide for removing stains.
- **DO NOT USE TAPE OF ANY KIND ON THE SURFACE OF THE FLOOR** as it can remove finish or leave a residue embedded in the finish.

INITIAL CARE AFTER INSTALLATION

The best way to care for your Flooring is to ensure installation is completed after other trades in a remodeling or new construction project. The final stages of interior construction that have the highest potential for Flooring damage are sawdust and drywall dust. These are the leading problems that will scratch, and dull the finish, always vacuum dust and debris first before using any water to clean the floors as water and dust can turn into a hardened paste. If there are still construction tasks to do over your installed Flooring, make sure to cover the floor with Ramboard or similar protection.

REGULAR CLEANING & DAMP MOPPING

VACUM REGULARLY TO KEEP FLOORS FREE OF DUST & DEBRI THAT MAY SCRATCH OF DAMAGE THE SURFACE OF THE FLOORING, IF REQUIRED VACUM DAILY.

FOR LIGHT UPKEEP WASH YOUR FLOOR WITH WARM WATER. USE A DAMP, WELL WRUNG-OUT MOP. THE FLOOR SHOULD BE DRY AGAIN WITHIN 2 MINUTES. FLOOD WASHING OR USING TOO MUCH WATER IS A LEADING CAUSE TO THE FINISH PREMATURELY WEARING AND BREAKING DOWN.

Residential Spaces – Damp mopping can be done weekly

Commercial Spaces – Damp mopping can be done daily if required

STAIN REMOVAL AND SMALL SPOT REPAIRS

All wood floors are susceptible to stains from ordinary household living. An option to limit tracking of debris is to utilize breathable area mats or rugs in entry ways to limit scratches, water, and other outdoor elements. Very light and white floors will show stain and wear much easier.

Wipe up food spills and liquids as soon as possible with a clean damp cloth.

SMALL SPOT REPAIRS

Small scuffs and shoe marks can be addressed with warm water mixed with a small amount of mild detergent such as Dawn®.

Surface scratches that do not go deep into the actual wood or have not had any impact on the color and there is no raw wood exposed, can be addressed with touch-up kits that are specifically designed for wood products.

For touching up spots that require colored touchups please reach out to a Textures Curated representative and we will assess the area through photos and provide guidance on achieving the best methods for repair.

RENOVATION

Even a perfectly cared for floor will one day show signs of wear. An experienced professional should perform refinishing your Flooring to ensure a positive outcome. Textures Curated floors include details that would be eliminated in the process of sanding during refinishing such as wire brushing, hand hewn marks, skip sawn, and other finish details. We recommend contacting a Textures Curated representative to discuss options and methods for a successful refinishing process.

TEXTURES CURATED RECOMMENDS PURCHASING CARE AND MAINTENANCE PRODUCTS FOR CLEANING AND MAINTAINING THE BEAUTY OF ALL OF OUR FLOORING @TEXTURESCURATED.COM

TEXTURES CURATED
510 MERRITT AVE.
NASHVILLE, TN 37203
TEXTURESCURATED.COM



DESIGNED IN NASHVILLE
MADE IN THE USA